



Formulation

Each tablet contains: Spinosad 300 mg, Lufenuron 100 mg, Excipients g.s.ad 1 tablet.

Indications

Treatment and prevention of flea infestations (Ctenocephalides felis). The preventive effect against reinfestations is the result of adulticidal activity, reduction in egg production, egg non-viability and its effect against the development of immature stages and persists up to 8 weeks after a single administration of Proventis® Soft Chews. Proventis® Soft Chews can be used as part of a therapeutic strategy for the control of flea allergy dermatitis (FAD). Treatment and prevention of lice infestations.

Soft Chews

Dosage and Administration

Proventis® Soft Chews is administered orally, according to the weight of the dog. Administer one tablet of Proventis® Soft Chews: Every 30 days in dogs that come in contact with other dogs or possibly infested environments. Every 8 weeks in dogs that do not come in contact with other canines or possibly infested environments (e.g. house dogs). Proventis® Soft Chews should be administered with food or immediately after feeding. If necessary, half of the dose may be given in the morning and half in the evening. The frequency of dosing may be adjusted at the discretion of the veterinarian.

Commercial Presentation

Box x 1 tablet in aluminized blister sealed, Box x 4 tablets in sealed aluminized blister packs,

SENASA Registry
Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.
SENASA Perú: F.087.031.N.00576.