

TYLVAX® OS

Oral Solution

Next Generation Macrolide Antibiotic.



Formulation

Each 100 mL contains: Tilvalosina (as tartrate) 10 g , excipients c.s.p 100 mL

Indications

Treatment and prevention of respiratory and enteric diseases caused by Tylvalosin sensitive microorganisms, mainly:

- Chickens, roosters and turkeys: chronic respiratory disease (CRD), airsacculitis and infectious sinusitis caused by *Mycoplasma gallisepticum*, *Mycoplasma synoviae* and *Mycoplasma meleagridis* (turkeys). Necrotic enteritis associated with *Clostridium perfringens*, bacterial enteritis, ORT (*Ornithobacterium rhinotracheale*).
- Pigs: mycoplasmosis, mycoplasmal (enzootic) pneumonia caused by *M. hyopneumoniae*, porcine proliferative enteropathy (PPE), porcine ileitis caused by *Lawsonia intracellularis*, porcine dysentery caused by *Brachyspira hyodysenteriae*, porcine colitis caused by *B. pilosicoli*, and others.

Dosage and Administration

Poultry (chickens, turkeys and replacement cocks):

- Preventive: 200-250mL / 200L of water the first 3 days of life and 100 - 150mL / 200L water 3 - 4 more days or in subsequent stress situations.
- Therapeutic: 200 - 250 mL / 200L of water for 3 days.

Pigs:

- Preventive: 500 mL / 1000 L water,
- Therapeutic: 500 - 1000 mL / 1000 L water"

Commercial Presentation

Bottle x 100 mL, Bottle x 500 mL, Bottle x 1 L, Dropper Bottle x 30 mL,

SENASA Registry



Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.