

ZOOVIT® BOLUS

Tablet Oral

Vitaminic and mineral supplement





Formulation

Vit. A 2 000 000 IU, Vit. D3 10 000 IU, Vit. E 600 mg, Vit. B1 60 mg, Vit. B2 40 mg, Vit. B6 40 mg, Vit. C 100 mg, Folic acid 40 mg, Nicotinic acid 100 mg, Calcium pantothenate 60 mg, Biotin 0.4 mg, Vit. B12 0.3 mg, Calcium 1800 mg, Iron 80 mg, Zinc 24 mg, Phosphorus 1000 mg, Copper 2 mg, Manganese 8 mg, Selenium 0.2 mg, Cobalt 15 mg.

Indications

Improves food nutrients rate use (proteins, lipids, celulose), promotes young animals growth and development. Appropriate in the fertile period, lactating and fattening with the porpuse to reduce stress and as a supportive therapy in diverse infectious and parasitic diseases. Also in hypo and avitaminosis, degenerative myopathy, liver dystrophy, nutritional rickets, osteomalacia, tetany, keratitis, sterility and convalescence.

Dosage and Administration

In general 1-2 bolus in adult animal and $\frac{1}{2}-1$ bolus en neonates. Specifically in calves and foals: $\frac{1}{2}-1$ bolus in the first 6 hours after birth, by the 7th day or 15th day, 1 to 3 weeks before weaning (half dose in tuis and lambs); cows and mares: 1-2 bolus one week after parturition (half dose in sheeps, goats and alpacas); bulls, horses and camelids: 2 bolus 1-2 weeks before mating and 2 bolus before competition; sow: 1 bolus one week before parturition, 1-2 bolus immediately after parturition; piglets: 1-2 bolus 1-2 weeks before weaning and $\frac{1}{2}$ to 1 bolus before beginning fattening.

Commercial Presentation

Pail x 70 units.

SENASA Registry

SENASA PONTEMADO SOUTH DE BANCIA informativa y no debe ser considerado como recomendaciones de uso.